

ELETTROMECCANICA ADRIATICA SpA

ASCOLI PICENO

AC

IEC298

329 / 2009

CELA DE PROT. TRANSF.
TIPO

ME6-F3

NORMALIZACAO

IEC 62271-200

NUMERO/ANO DE FABRICO

/

TENSAO NOMINAL

17.5

CORRENTE NOMINAL

630

CORRENTE DE CURTA DURACAO (3 seg)

16

NIVEL DE ISOLAMENTO

50-125

PRESSAO SF6

125

SECCIONADOR DE TERRA A JUSANTE DOS FUSIVEIS

TIPO

ST

CORRENTE DE CURTA DURACAO

3.15

PESO TOTAL

220



ELETTROMECCANICA ADRIATICA
ASCOLI PICENO

CELA DE PROT. TRANSF.

TIPO

NORMALIZACAO

NUMERO/ANO DE FABRICO

TENSAO NOMINAL

CORRENTE NOMINAL

CORRENTE DE CURTA DURACAO (3 seg)

NIVEL DE ISOLAMENTO

PRESSIONE SF6

DECCIONADOR DE TERRA A JUSANTE DOS FUSIVEIS

ME6-F3

IEC 62271-200

17,5 / 630 / 16

17,5 kV

630 A

16 kA


50-125 kV

125 kPa

ST

AQ

SD6/F



F



ELET

CELA "AC"

TIPO

NORMALIZACAO

NUMERO/ANO DE FABRICO

TENSAO NOMINAL

CORRENTE NOMINAL

FRECUENCIA NOMINAL


NIVEL DE ISOLAMENTO

CORRENTE DE CURTA DURACAO

PESO TOTAL

SD6/F

RB



RB

ELETTROMECCANICA A

ASCOLI PICENO

"AC"